






2

∞ 🎘

က 🎘


MATRIPTASE
























08/19/02












ر ال

F/G. 9

RESSION OF MATRIPTASE AND HAI-1 IN BREAST CANCER CELL LINES AND PARISON WITH MARKERS OF DIFFFERENTIATION AND IN VITRO INVASIVENESS.	HERIN ZO-1 VIMENTIN IN VITRO INVASION*	NA NA NA NA	+ + + + + + + + + + + + + + + + + + + +	+ + + +	VN + + + + + + + + + + + + + + + + + + +
IN BREAST CAN RENTIATION AN	HAI-1 E-CADHERIN	+ +	+ + + +	+ + +	
PTASE AND HAI-1 RKERS OF DIFFFE	R MATRIPTASE	+ +	++++	+++	
AR MAR	띪		+ + + +		
ESSION OF MAT PARISON WITH N	CELL LINE	A1N4 MCF-10A	MCF-7 T47D ZR-75-1 BT-474	SKBR3 MDA-MB-468 MDA-MB-453	MDA-MB-157 MDA-MB-436 MDA-MB-435 MDA-MB-231 BT-549














FIG. 12














FIG. 14C




FIG. 14B



FIG. 14D





FIG. 14E










FIG. 16



NEGATIVE CONTROL

ACTIVATED MATRIPTASE





FIG. 17B

FIG. 17A





200.12002.00

FIG. 18


08/19/02

MOUSE IgG MATRIPTASE

FIG. 19B

FIG. 19A








FIG. 22A






FIG. 23



	1 na/ml	10ng/ml	100ng/ml	500ng/ml	1µg/ml	2µg/ml
OIOS DIOITIVIDA OIL				-/+	+	+
CTSOFFICE COST		1			1	•
LYSOPHOSPHALIDIC CHOCINE						•
LYSOPHOSPHTIDY SERINE		-	•		·	
I YSOPHOSPHATIDY INOSITOL	•	•	•	•		•
LYSOPHOSPHTIDYL	ı	1	1	1	•	1
ETHANOL AMINE						
			,	•	•	1
THOSTIALIDIO ACID						•
PHOSPHATIDYL CHOLINE	1	1		•		
						
TANGOODIA TIMOOOTIMO	+	+	+	+	+	+
SHINGOSINE I TROOP IN					•	
SPHINGOSINE						
					•	
			-/+	+	+	
CERAMIDE 1 PHOSPHAIE	-		,			

FIG. 24